



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/007/161/07/23/1095 EXT 01/07/23

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France

Description

PPE Type : *a safety footwear*
Product reference : LEVANTE S3S 40-49
Article code :
Construction and material of outsole : Injection PU interlayer / PU outsole

Pictures :



LEMAITRE
17, rue de Bitschhoffen
67350 VAL DE MODER - FRANCE
LEVANTE S3S 42 23/03
S3S CI HI FO SC SR LG
EN ISO 20345 : 2022
Lot : 3237154531426 / 2303311



Reference standard : EN ISO 20345:2022
Classification : I **Category :** S3S CI HI FO SC SR LG
Size range : 40-49
Toecap nature : Non Metallic **Insert nature :** Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from JULY 2023 and the user instructions index V10 - 23/12/2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISSADO

Certification Manager



Date of first issue : 06 July 2023

End of validity date : 06 July 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

LEMAITRE SECURITE

MANUFACTURER'S TECHNICAL FILE

Reference of the product: LEVANTE S3S 40-49

Article code:

Technical file index: 01

Last update: JULY 2023

IDENTIFICATION

Reference of the product: LEVANTE S3S 40-49
Article Code:
This article is a minor variant of the
model: MISTRAL S3S 40-49
Technical file index : 01
Last update : JULY 2023

Manufacturer

LEMAITRE SECURITE
17, rue de Bitschhoffen LA WALCK 67350 VAL DE MODER
France
Tel : 388722880
Tel : 388722886

Factory

SOPIC
Rue de la mécanique - Zone industrielle de la Charguia - 2035 TUNIS
TUNISIE
Tel : +216 71 771 400
Fax : +216 71 771 477

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is B : ankle boot.

Visual description

General view :



Outsole view :



Reference of the mould : TRAILIUM

Range of sizes

40-49

Construction and material of outsole

Injection PU interlayer / PU outsole

Field of use

Construction and public works

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
				Instruction for use
				Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	LS.C320	Buffalo Oiled Split Leather 2,0 mm (MOSS04)	Dark brown
	LS.C222	Buffalo Split Leather 2,0 mm PU coated (GROOVE01)	Black
	LS.C710	100% Polyamid - 300g/m ²	Black
	LS.C770	Textile CORPET i s tr/h2/bo320tci) - 90%recycled PET 10%PL LINING - 650gr/mtq	Black
	LS.C610	Retro-reflective material - 1 Layer : Glass micro beads, 2 Layer : Special Reflective layer + resin coating, 3 Layer : Regenerated Lether - 950gr/m ²	Grey
COLLAR	LS.C770	Textile CORPET i s tr/h2/bo320tci) - 90%recycled PET 10%PL LINING - 650gr/mtq	Black
TONGUE	LS.C770	Textile CORPET i s tr/h2/bo320tci) - 90%recycled PET 10%PL LINING - 650gr/mtq	Black
	LS.C530	100% PA MICROFIBER - 735gr/m ²	Black
VAMP LINING	LS.DE01	Textile 100% fibre polyester - 270 g/m ²	Light grey
QUARTER LINING	LS.DQ21	Synthetic - 100% recycled PET - 540gr/mtl	Green
INSOLE	LS.P15	Textile - 50% recycled PET Fibers - 3950gr/m ²	White
INSOCK	LS.PP20	65% recycled PU foam, 15% recycled polyester fabric, 20% binder PU based -	Black
OUTSOLE	LS.SU51	PU mold TRAILIUM	Black/Green
TOE CAP	LS.BA20	Toecap 604 FIBER	
INSERT	LS.P15	Textile - 50% recycled PET Fibers - 3950gr/m ²	White

PROTECTION SCOPE

Basic requirements

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACH regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :

- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PS)
- Antistatic footwear
- Heat insulation
- Cold insulation
- Energy absorption of seat region
- Scuff cap abrasion
- Slip resistance (ceramic tile with glycerine)
- Upper : Water penetration and absorption of upper material
- Outsole : Fuel oil resistance
- Outsole : Ladder grip system

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and per

Marking example

LEMAITRE
17, rue de Bitschhoffen
67350 VAL DE MODER - FRANCE
LEVANTE S3S 42 23/03
S3S CI HI FO SC SR LG
EN ISO 20345 : 2022
Lot : 3237154531426 / 2303311

CE

Method of marking on the footwear: Printed label inner tongue + engravings on the outsole

Packaging

Individual box and carton of 10 pairs

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References	Laboratory	References
CTC	D220920154_1	CTC	L220305234_1
CTC	L190815908_2	CTC	L220814651_1
CTC	L200202194_1	CTC	L220916099_1
CTC	L201220027_1	CTC	L220916107_1
CTC	L201220028_1	CTC	L220917827_1
CTC	L201220087_1	CTC	L230305876_1
CTC	L201220088_1	CTC	L230305890_1
CTC	L210101208_1	CTC	L230305893_1
CTC	L210509265_2	CTC	L230407169_1
CTC	L210917461_1	CTC	L230509242_1
CTC	L220202881_1	CTC	L230611385_1
CTC	L220303767_1	CTC	L230611406_1
CTC	L220305232_1		

MEANS OF CONTROL

We are ISO 9001 : 2015 certified, attached the certificate N° 1998/9390.11 issued by Afaq.
Every week we do impact and compression tests.
At each delivery of anti-penetration inserts we do perforation tests.



Certificat
Certificate

N° 1998/9390.11

AFNOR Certification certifie que le système de management mis en place par :
AFNOR Certification certifies that the management system implemented by:

LEMAITRE SECURITE

pour les activités suivantes :
for the following activities:

CHAUSSURES DE SECURITE, DE PROTECTION ET DE TRAVAIL A USAGE PROFESSIONNEL :
CONCEPTION, PRODUCTION, VENTE, NEGOCE ET DISTRIBUTION.
AUTRES EQUIPEMENT DE PROTECTION INDIVIDUELLE: NEGOCE ET DISTRIBUTION.

SAFETY, PROTECTIVE AND OCCUPATIONAL FOOTWEAR FOR PROFESSIONAL USE: DESIGN,
PRODUCTION, SALE, TRADE AND DISTRIBUTION.
OTHER PERSONAL PROTECTIVE EQUIPMENT: TRADE AND DISTRIBUTION.

a été évalué et jugé conforme aux exigences requises par :
has been assessed and found to meet the requirements of:

ISO 9001 : 2015

et est déployé sur les sites suivants :
and is deployed on the following locations:

17, rue de Bitschhoffen LA WALCK FR-67350 VAL DE MODER
27 RUE DE STRASBOURG PFAFFENHOFFEN FR-67350 VAL DE MODER
38 RUE DU CERF UBERACH FR-67350 VAL DE MODER

Ce certificat est valable à compter du (année/mois/jour)
This certificate is valid from (year/month/day)

2021-12-16

Jusqu'à
Until

2024-11-06



Julien NIZRI
Directeur Général d'AFNOR Certification
Managing Director of AFNOR Certification



Flanqué de QR Code
pour vérifier la validité
de l'activité

11 rue Francis de Pressensac - 92071 La Plaine Saint-Denis Cedex - France - T. +33 (0) 1 41 65 80 00 - F. +33 (0) 1 40 11 90 00
SAS au capital de 10 167 000 € - 479 076 902 RCS Nanterre - www.afnor.org **afnor**
CERTIFICATION

PPE subject to ageing :

The design performance of this product can be affected by ageing. The preemption period is estimated at 60 months / 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: www.lemaitre-securite.com/reg